
Proposed
C158mith

SCHEDULE 4 TO CLAUSE 43.03 INCORPORATED PLAN OVERLAY

Shown on the planning scheme map as **IPO4**.

BEVERIDGE NORTH WEST PRECINCT STRUCTURE PLAN

1.0

Proposed
C158mith

Requirement before a permit is granted

None specified.

2.0

Proposed
C158mith

Permits not generally in accordance with incorporated plan

A permit granted must be generally in accordance with the incorporated plans as they apply to the land unless the responsible authority is satisfied that the development will not prejudice the orderly planning of the area having regard to the objectives of the incorporated *Beveridge North West Precinct Structure Plan*.

3.0

Proposed
C158mith

Conditions and requirements for permits

Condition – Kangaroo management plan

A permit for subdivision of land must include the following conditions:

- Before the certification of the first plan of subdivision, a Kangaroo Management Plan must be approved by the Secretary to the Department of Environment, Land, Water and Planning (DELWP). The approved plan will form part of the permit.
- The approved Kangaroo Management Plan must be implemented to the satisfaction of the responsible authority. Before the certification of the plan of subdivision, a Kangaroo Management Plan must be approved by the Secretary to the Department of Environment, Land, Water and Planning (DELWP). The approved plan will form part of the permit;

The submitted Kangaroo Management Plan must include:

- Strategies that will be implemented to avoid land locking kangaroos, including staging of subdivision;
- Strategies, management actions and contingency planning that will be implemented to minimise animal welfare and human safety risks;
- How implementation of the Kangaroo Management Plan will be monitored.
- Strategies to avoid land locking kangaroos, including staging of subdivision;
- Strategies to minimise animal and human welfare risks;
- Management and monitoring actions to sustainably manage a population of kangaroos within a suitable location;
- Actions to address the containment of kangaroos and to ensure adequate animal welfare;

The approved Kangaroo Management Plan must be implemented to the satisfaction of the Secretary to the Department of Environment, Land, Water and Planning.

Condition – Salvage and translocation

The Salvage and Translocation Protocol for Melbourne's Growth Corridors (Department of Environment, Land, Water and Planning, 2017) must be implemented in the carrying out of development to the satisfaction of the secretary to the Department of Environment, Land, Water and Planning.

Commented [VPA1]: DELWP MSA (submission 947)

Commented [VPA2]: DELWP MSA (submission 947)

Bushfire Management Plan

A permit to subdivide land adjacent to a bushfire hazard area shown on Plan 8 Bushfire Hazard Areas, must include the following condition:

- Unless otherwise agreed by the Responsible Authority and the Country Fire Authority, before certification of the plan of subdivision the Bushfire Management Plan must be endorsed by the Responsible Authority.

The Bushfire Management Plan must demonstrate how the application will address bushfire risk at the site. The plan must be prepared in accordance with Section 3.4 - Bushfire Management, of the PSP, unless otherwise agreed in writing by the Responsible Authority and CFA. The plan must include:

- The design and layout of the subdivision, including lot layout, road design and access points, both vehicular and pedestrian;
- The location of any bushfire hazard areas;
- The details of any bushfire protection measures required for individual lots;
- The identification of any areas to form the setback between a bushfire hazard and built form.
- The details of any vegetation management in any area of defendable space including, information on how vegetation will be managed and when the vegetation management will occur i.e. annually, quarterly, during the fire danger period.
- Notations that indicate what authority is responsible for managing vegetation within open space areas.
- Notations that ensure that the areas of classified vegetation in the nominated bushfire hazard areas must be managed to a level that will ensure the vegetation classification under AS3959-2019 will not be altered.

The responsible authority and fire authority may waive this requirement if a plan has been previously approved for the land.

4.0 Decision guidelines

Proposed
C158mith

Before deciding on an application, in addition to the decision guidelines in Clause 65, the responsible authority must consider, as appropriate:

- The need to remove, destroy or lop vegetation to create defendable space to reduce the risk of bushfire to life and property.
- The impact of the proposed buildings and works on the landscape due to height, bulk, colour, general appearance or the need to remove vegetation.
- The extent to which the buildings and works are designed to enhance or promote the landscape character objectives of the area.
- The impact of buildings and works on significant views.

5.0 Preparation of the incorporated plan

Proposed
C158mith

None specified.